


AC 175

Cummins
Mecc Alte
P 602



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	175,00	140,00	160,00	128,00	230,00

fPGE

GC ;) &

) & z

fDF D

%\$1

% % &

GC " \$(**

z&(

GC

Standard Specifications

z

fl

!

E

z

z

ALTERNATOR

TRANSFER SWITCH

AC 175

Cummins
Mecc Alte
P 602

Manufacturer		Cummins		
Model		6BTAA 5,9-G5		
		% \$\$\$ "# "		
		%* \$\$\$ "		
		Q% \$\$\$ < DQ		
	L	5,900		
	"	102 x 120		
		16,5:1		
	fl # ı	"# "	1500	
	fl ı	L	16,40	
		L	20,10	
AbsorbedAirDischargeReSourceKey.Text	' # "	12,42		
	' # "	264,00		
	' # "	32,46		
	° C	533,00		
		12 V d.c.		
	Load	% \$ı	'+)ı) \$ı
	# "			
		37,00	29,00	19,00

		Mecc Alte		
		ECP 34-3L14		
	Hz	50		
	"	160,00		
7 cg'		0,80		
		3		
	fl ı	400/230		
Temperature		H		

		fl ı		fl ı	
	"	"	"	"	L
AC 175	1460,00	2314,00	1150,00	1661,00	380,00
		fl ı		fl ı	
	"	"	"	"	L
AK 50	1890	3400	1217	1938	380

AC 175

Cummins
Mecc Alte
P 602

1 D * \$ & ! ' "



- 1 A U]b'gUhi g'X]gd'Umf'
- 2 8]gd'UmgWfc''Vi hrcb''
- 3 DU[Yf]bZcfa U]hcbE'Vi hrcb''
- 4 7 ca a cb U'Ufa ']bX]W]hrcf''
- 5 GHUhi g'@98fg''
- 6 C dYfU]hcb'gY'YV]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg': U]i fy Věbfc''a cXi 'Y"
6UHYfmVUf[Yf']bdi h%, !&* ('j c'hžci rdi h''&+ž' J) '5'f&('J Ecf'% ž 'J c'h) 5'f&J E
9a Yf[YbV]hrcd' di g\ 'Vi hrcb'UbX ž gYg Zc'fVěbfc''V]fV]hg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]W'ždfY!VěU]b['cZghYY''dfcj]XYg Věffcg]cb
fYg]hUbhgi fZUW''Dc'mYgYfVěa dcg]Y' dck XYf' hcdVěU]hZcfa g\] ['cgg'UbX'YI hYa Y'mXi fUV'Y ž]b]g\''@cV]UV'
UbX\]b[YX dUbY' Xccf' dfcj]XYg YUgmUWV'gg hc' Věa dcbYbrg''

'7cbfrc''dUbY'']g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cW]HYX'UhH'Y'f[\hig]XY'cZH'Y [YbYfU]rcf'gYhfk \Yb'mci
'cc_'UhH'Y; Yb''GYH'žca '5'fYfbU]rcfE

H\Y''8G9''\$&\$']g'U'ghUbXUfX Věbfc''a cXi 'Y'žf'ci f [YbYfU]rcf'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX' [Ug[YbYfU]rcf'gYhg''H\Y'8G9''\$&\$' a cXi 'Y\Ug'VYYb'XYg][bYX'hc' a cb]rcf [YbYfU]rcf
žYei YbV]žj c'žW'fYb]hYb[]bY'c']dfYggi fYžVěc'UbhHYa dYfUhi fy' fi bb]b[\ci fg'UbX' VUHYfmj c'hg''A cXi 'Y
a cb]rcf'g'h'Y a U]bg'gi dd'mUbX'gk]hW' c] Yf'hc' h'Y [YbYfU]rcf'k \Yb'h'Y a U]bg'dck Yf'žU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]HYg'cdYfU]hcbU'ghUhi g'UbX'žI 'hVěbX]hcbgž'5i hca U]hW'mg\i h]b['Xck b'h'Y; Yb''GYhUbX' []]b['hfi Y'žfghi d
žI 'hVěbX]hcb'cZ; Yb''GYhžU]i fy''H\Y'@78'X]gd'Um]bX]W]HYg'h'Y'žI 'h'

A]WědfcW'ggcf'Věbfc''YX"
@78'X]gd'Uma U_Yg]bZcfa U]hcb'YUgmhc'fYUX"
(!]bYž*(1 '% &d] Y'X]gd'Umf'
5i hca U]hW'mifUbgZ'fg'VYh'YYb'a U]bg'fi h]hrc'UbX' [YbYfU]rcf'dck Yf'
A Ubi U'dfc[fUa a]b['cb'žcbhdUbY''
I gYf]ž]YbX'mgYh'i d'UbX'Vi hrcb''U]rci h'
F Ya cHY'ghUfH'
9j Ybh'c [[]b['f] h'g\ck]b['XUHY'UbX'h'a Y"
7cbfrc'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]hcbU'di g\ 'Vi hrcb'bYI hrc' h'Y'@78'X]gd'Um]g
i gYX'hc'gW'c''h'fci [\ h'Y'a cXi 'Ygfa YH'f]b['X]gd'Umg'

AC 175

Cummins
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghcd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gHfH"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'WV'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUHV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$ \$! *!& 9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$ \$! *!('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'H'V'bc'c[mUbX'ih\Ug\] [\ YZ]VW'VW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j'c'hUbX'&+Z'] 'Zcf'&'('] "
#bdi h% , ' !&* (j c'h57 "' Dfc]bY'&(\$) \Ug'Z' 'mici hdi hg\chV'VW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\] [\ YZ]VW'VW'cb["]Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h']bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VY'hk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW'm(_J 'Zcf'\] [\ fY']UV]]h'f

AC 175

Cummins
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1217
fl "L	"	3400
fl "L	"	1938
	L	380